

SHEET**ALLOY: 5005 TEMPER: H34****FINISH: MILL**

STOCK CODE	THICKNESS MM	WIDTH X LENGTH MM	SQ.MTR/ SHEET	MASS/ SQ.M KG	MASS KG PER SHEET
SH0.8	0.8	1200 X 2400	2.88	2.16	6.22
SH1	1	1200 X 2400	2.88	2.7	7.78
SHP1.2	1.2	1200 X 2400	2.88	3.24	9.33
SHP1.6	1.6	1200 X 2400	2.88	4.32	12.44
SHP2	2	1200 X 2400	2.88	5.4	15.55
SH21230	2	1200 X 3000	3.6	5.4	19.44
SHP2.5	2.5	1200 X 2400	2.88	6.75	19.44
SHP3	3	1200 X 2400	2.88	8.1	23.33
SH31230	3	1200 X 3000	3.6	8.1	29.16
SH31530	3	1500 X 3000	4.5	8.1	36.45
SHP4	4	1200 X 2400	2.88	10.8	31.1
SHP5	5	1200 X 2400	2.88	13.31	38.32
SH6	6	1200 X 2400	2.88	15.98	46.02

**TREADPLATE****ALLOY: 5251/5052**

STOCK CODE	THICKNESS MM	WIDTH X LENGTH MM	SQ.MTR/ SHEET	MASS/ SQ.M KG	MASS KG PER SHEET
TP1.6	1.6	1200 X 2400	2.88	5	14.4
TP2	2	1200 X 2400	2.88	6	17.28
TP2.5	2.5	1200 X 2400	2.88	7.5	21.6
TP3	3	1200 X 2400	2.88	8.9	25.64
TP31530	3	1500 X 3000	4.5	8.9	40.05
TP5	5	1200 X 2400	2.88	14.1	40.6
TP6	6	1200 X 2400	2.88	18	51.84

**PROPELLOR PLATE****ALLOY: 3003****TEMPER: H22**

STOCK CODE	THICKNESS MM	WIDTH X LENGTH MM	SQ.MTR/ SHEET	MASS/ SQ.M KG	MASS KG PER SHEET
PP1.6	1.6	1200 X 2400	2.88	5	14.4
PP3	3	1200 X 2400	2.88	8.9	25.64
PP5	5	1200 X 2400	2.88	14.1	51.84

PLATE**ALLOY: 5083**

STOCK CODE	THICKNESS MM	TEMPER	WIDTH X LENGTH MM	SQ.MTR/ SHEET	MASS/ SQ.M KG	MASS KG PER SHEET
P3	3	H116	1200 X 2400	2.88	8.1	23.33
P4	4	H116	1200 X 2400	2.88	10.65	30.67
P5	5	H116	1200 X 2400	2.88	13.3	38.3
P6	6	H116	1200 X 2400	2.88	15.98	46.02
P8	8	H116	1200 X 2400	2.88	21.3	61.34
P10	10	H112	1250 X 2450	3.06	26.62	81.72
P12	12	H112	1250 X 2450	3.06	31.94	98.05
P16	16	H112	1250 X 2450	3.06	42.58	130.72
P20	20	H112	1250 X 2450	3.06	53.23	163.42
P25	25	H112	1250 X 2450	3.06	66.54	204.27
P32	32	H112	1250 X 2450	3.06	85.16	261.44
P40	40	H112	1250 X 2450	3.06	106.45	326.8
P45	45	H112	1250 X 2450	3.06	119.755	366.45
P50	50	H112	1250 X 2450	3.06	133.06	408.49
P65	65	H112	1250 X 1250	1.56	172.9	270.61
P80	80	H112	1235 X 1250	1.54	212.9	345.49
P100	100	H112	1250 X 1365	1.71	266	454.89

PLATE**ALLOY: 6061**

STOCK CODE	THICKNESS MM	TEMPER	WIDTH X LENGTH MM	SQ.MTR/ SHEET	MASS/ SQ.M KG	MASS KG PER SHEET
PS6.35	6.35	T651	1250 x 2450	3.06	17.78	54.4
PS9.53	9.53	T651	1250 x 2450	3.06	25.326	77.5
PS12.7	12.7	T651	1250 x 2450	3.06	33.36	102.42
PS16	16	T651	1250 x 2450	3.06	43.36	133.12
PS20	20	T651	1250 x 2450	3.06	54.2	165.85
PS25.4	25.4	T651	1250 x 2450	3.06	68.83	211.31
PS32	32	T651	1250 x 2450	3.06	86.72	266.23
PS40	40	T651	1250 x 2450	3.06	108.4	332.79
PS44.45	44.45	T651	1250 x 2450	3.06	120.46	369.81
PS50.8	50.8	T651	1250 x 2450	3.06	137.69	422.71
PS65	65	T651	1250 X 1250	1.56	175.45	273.7
PS80	80	T651	1250 X 1250	1.56	215.93	336.85
PS101.6	101.6	T651	1250 X 1250	1.56	275.33	429.51
PS114.3	114.3	T651	1250 X 1250	1.56	319.02	474.52
PS130	130	T651	1140 X 1350	1.54	353.46	544.32

COMPOSITE PANEL


Aluminium Composite Material (ACM) consists of a thermoplastic polyethylene core that is sandwiched between two outer flat aluminium panels. The polyethylene core is bonded between the two aluminium sheets providing a very lightweight, flat, smooth and strong rigid sheet.

STOCK CODE	COLOUR	THICKNESS MM	WIDTH X LENGTH MM	SQ.MTR/ SHEET	PRICE PER PANEL
COMPAN31224WW	Gloss White / Matt White	3	1220 X 2440	2.98	P.O.A
COMPAN31224WWB	Gloss White / Matt Grey	3	1220 X 2440	2.98	P.O.A

OTHER SIZES AND COLOURS MAY BE AVAILABLE ON REQUEST

COMPOSITE PANEL TRIMS

ALLOY 6063 T5

DIAGRAM	DESCRIPTION	PRODUCT CODE	PRICE PER LENGTH
	3.0MM INT/EXT CORNER TRIM	COMPBE04131	P.O.A
	3.0MM CAPPING TRIM	COMPBE04129	P.O.A
	3.0MM JOINER TRIM	COMPBE04130	P.O.A

SCAFFOLD/PAINTERS PLANKS

ALLOY: 6005A

TEMPER: T5

STOCK CODE	DESCRIPTION	LENGTH	W X T
		METRES	
MPLANK2	PLANK - END CAP & RUBBER INSERT	2	228.0 X 45.0
MPLANK3	PLANK - END CAP & RUBBER INSERT	3	228.0 X 45.0
MPLANK4	PLANK - END CAP & RUBBER INSERT	4	228.0 X 45.0
MPLANK5	PLANK - END CAP & RUBBER INSERT	5	228.0 X 45.0
MPLANK6	PLANK - END CAP & RUBBER INSERT	6	228.0 X 45.0

LOAD: 245Kgs OVER 2.60m SPAN

SCAFFOLD TUBE



ALLOY: 6061

TEMPER: T6

STOCK CODE	DESCRIPTION D x T	LENGTH METRES	WEIGHT KG/M	ANOD PER
ROT4844	48.44 x 4.47	6.1	1.67	152

FLAT BAR



NISH: MI

STOCK CODE	DESCRIPTION	LENGTH
	W X T (MM)	METRE
FL1.620	1.6 X 20.0	4
FL1.625	1.6 X 25.0	4
F4016	40 x 1.6	4
SK8016	1.6 X 80.0	3.6
SK10016	1.6 X 100.0	3.6
FL310	3.0 X 10.0	4
FL312	3.0 X 12.0	4
FL316	3.0 X 16.0	4
FL320	3.0 X 20.0	4
FL325	3.0 X 25.0	4
FL332	3.0 X 32.0	4
FL340	3.0 X 40.0	4
FL350	3.0 X 50.0	4
FL360	3.0 X 60.0	4
FL380	3.0 X 80.0	4
FL3100	3.0 X 100.0	4
FL412	4.0 X 12.0	4
FL420	4.0 X 20.0	4
FL425	4.0 X 25.0	4
FL440	4.0 X 25.0	4
FL450	4.0 X 50.0	4
FL480	4.0 X 80.0	4
FL4100	4.0 X 100.0	4
FL4160	4.0 X 160.0	4
FL612	6.0 X 12.0	4
FL620	6.0 X 20.0	4
FL625	6.0 X 25.0	4
FL632	6.0 X 32.0	4
FL640	6.0 X 40.0	4
FL650	6.0 X 50.0	4
FL660	6.0 X 60.0	4
FL680	6.0 X 80.0	4
FL6100	6.0 X 100.0	4
FL6160	6.0 X 160.0	4
FL1012	10.0 X 12.0	4
FL1020	10.0 X 20.0	4


FLAT BAR

STOCK CODE	DESCRIPTION	LENGTH
	W X T (MM)	METRE
FL1025	10.0 X 25.0	4
FL1032	10.0 X 32.0	4
FL1040	10.0 X 40.0	4
FL1050	10.0 X 50.0	4
FL1060	10.0 X 60.0	4
FL1080	10.0 X 80.0	4
FL10100	10.0 X 100.0	4
FL10160	10.0 X 160.0	4
FL1220	12.0 X 20.0	4
FL1225	12.0 X 25.0	4
FL1240	12.0 X 40.0	4
FL1250	12.0 X 50.0	4
FL1260	12.0 X 60.0	4
FL1280	12.0 X 80.0	4
FL12100	12.0 X 100.0	4
FL12160	12.0 X 160.0	4
FL1640	16.0 X 40.0	4
FL1680	16.0 X 80.0	4
FL2025	20.0 X 25.0	4
FL2040	20.0 X 40.0	4
FL2050	20.0 X 50.0	4
FL2540	25.0 X 40.0	4
FL2550	25.0 X 50.0	4
FL2580	25.0 X 80.0	4
FL25100	25.0 X 100.0	4
FL25160	25.0 X 160.0	4

**STRUCTURAL
FLAT BAR**

STOCK CODE	DESCRIPTION	LENGTH
	W X T (MM)	METRE
FLS6100	6.0 X 100.0	4
FLS6150	6.0 X 150.0	4
FLS12100	12.0 X 100.0	4
FLS12200	12.0 X 200.0	2
FLS2580	25.0 X 80.0	4
FLS50100	50.0 X 100.0	2

**COLOURED
ANGLE**



FINISH: COLOURED

ALLOY: 6060 TEMPER: T5

STOCK CODE	DESCRIPTION
	W X W X T
ANC1212	12.0 X 12.0 X 1.6
ANC2012	20.0 X 12.0 X 1.6
ANC2020	20.0 X 20.0 X 1.6
ANC1225	25.0 X 12.0 X 1.6
ANC2025	25.0 X 20.0 X 1.6
ANC2525	25.0 X 25.0 X 1.6
ANC2032	32.0 X 20.0 X 1.6
ANC2532	32.0 x 25.0 x 1.6
TAC3232	32.0 X 32.0 X 1.6
ANC1240	40.0 X 12.0 X 1.6
ANC2040	40.0 X 20.0 X 1.6
ANC2540	40.0 X 25.0 X 1.6
ANC4040	40.0 X 40.0 X 1.6
ANC2550	50.0 X 25.0 X 1.6
ANC5050	50.0 X 50.0 X 1.6
ANC2570	70.0 X 25.0 X 1.6


BLACK

WHITE

CLEAR ANODISED

BRONZE

**OTHER COLOURS MAY BE AVAILABLE ON
REQUEST**




ANGLE EQUAL

FINISH: MILL

ALLOY: 6060 TEMPER: T5

STOCK CODE	DESCRIPTION
	W X W X T
AE1216	12.0 X 12.0 X 1.6
AE123	12.0 X 12.0 X 3.0
AE1516	15.0 X 15.0 X 1.6
AE163	16.0 X 16.0 X 3.0
AE2016	20.0 X 20.0 X 1.6
AE203	20.0 X 20.0 X 3.0
AE2516	25.0 X 25.0 X 1.6
AE253	25.0 X 25.0 X 3.0
AE256	25.0 X 25.0 X 6.0
AE3216	32.0 X 32.0 X 1.6
AE323	32.0 X 32.0 X 3.0
AE4016	40.0 X 40.0 X 1.6
AE403	40.0 X 40.0 X 3.0
AE404	40.0 X 40.0 X 4.0
AE406	40.0 X 40.0 X 6.0
AE5016	50.0 X 50.0 X 1.6
AE503	50.0 X 50.0 X 3.0
AE504	50.0 X 50.0 X 4.0
AE506	50.0 X 50.0 X 6.0
AE603	60.0 X 60.0 X 3.0
AE606	60.0 X 60.0 X 6.0
AE763	76.0 X 76.0 X 3.0
AE806	80.0 X 80.0 X 6.0
AE8010	80.0 X 80.0 X 10.0
AE1003	100.0 X 100.0 X 3.0
AE1006	100.0 X 100.0 X 6.0
AE10010	100.0 X 100.0 X 10.0




RED = STRUCTURAL

ALLOY:6061 TEMPER: T6

STOCK CODE	DESCRIPTION	INSIDE
	W X W X T	RADIUS
AES384	38.1 X 38.1 X 4.75	5.33
AES506	50.8 X 50.8 X 6.35	6.1
AES636	63.5 X 63.5 X 6.35	6.86
AES766	76.2 X 76.2 X 6.35	7.62
AES769	76.2 X 76.2 X 9.52	7
AES1016	101.6 X 101.6 X 6.35	9.14


OTHER SIZES AND ALLOYS MAY BE AVAILABLE ON REQUEST, PLEASE CHECK FOR AVAILABILITY



ANGLE UNEQUAL


STOCK CODE	DESCRIPTION
	W X W X T
AU201216	20.0 X 12.0 X 1.6
AU20123	20.0 X 12.0 X 3.0
AU251216	25.0 X 12.0 X 1.6
AU25123	25.0 X 12.0 X 3.0
AU252016	25.0 X 20.0 X 1.6
AU25203	25.0 X 20.0 X 3.0
AU322016	32.0 X 20.0 X 1.6
AU32203	32.0 X 20.0 X 3.0
AU32253	32.0 X 25.0 X 3.0
AU401216	40.0 X 12.0 X 1.6
AU40123	40.0 X 12.0 X 3.0
AU402016	40.0 X 20.0 X 1.6
AU40203	40.0 X 20.0 X 3.0
AU402516	40.0 X 25.0 X 1.6
AU40253	40.0 X 25.0 X 3.0
AU50123	50.0 X 12.0 X 3.0
AU50203	50.0 X 20.0 X 3.0
AU502516	50.0 X 25.0 X 1.6
AU50253	50.0 X 25.0 X 3.0
AU50403	50.0 X 40.0 X 3.0
AU60253	60.0 X 25.0 X 3.0
A60404	60 x 40 x 4
AU702516	70.0 X 25.0 X 1.6
A70253	70 x 25 x 3
AU704016	70.0 X 40.0 X 1.6
AU80203	80.0 X 20.0 X 3.0
AU80503	80.0 X 50.0 X 3.0
AU904016	90.0 X 40.0 X 3.0
AU100503	100.0 X 50.0 X 3.0
AU100763	100.0 x 76.0 x 3.0
AU100506	100.0 X 50.0 X 6.0
AU125503	125.0 X 50.0 X 3.0
AU200503	200 X 50 X 3.0

ANGLE UNEQUAL STRUCTURAL



STOCK CODE	DESCRIPTION
	W X W X T
AUS76506	76.2 X 50.8 X 6.35
AUS101506	101.6 X 50.8 X 6.35

OTHER SIZES AND ALLOYS MAY BE AVAILABLE ON REQUEST




TEE

ALLOY:6060 TEMPER: T5


STOCK CODE	DESCRIPTION	LENGTH
	W X H X T (MM)	METRE
T2016	20.0 X 20.0 X 1.6	4
T203	20.0 X 20.0 X 3.0	4
T2516	25.0 X 25.0 X 1.6	4
T253	25.0 x 25.0 x 3.0	6.5
T402016	40.0 X 20.0 X 1.6	6.5
T4016	40.0 X 40.0 X 1.6	6.5
T403	40.0 X 40.0 X 3.0	6.5

SQUARE TUBE



STOCK CODE	DESCRIPTION
	W X W X T
SQT1215	12.7 X 12.7 X 1.5
SQT1516	15.0 X 15.0 X 1.6
SQT1911	19.05 X 19.05 X 1.15
SQT2016	20.0 X 20.0 X 1.6
SQT203	20.0 X 20.0 X 3.0
SQT2512	25.0 X 25.0 X 1.22
SQT2516	25.0 X 25.0 X 1.6
SQT253	25.0 X 25.0 X 3.0
SQT3216	32.0 X 32.0 X 1.6
SQT322A	32.0 X 32.0 X 2.0
SQT323	32.0 X 32.0 X 3.0
SQT4016	40.0 X 40.0 X 1.6
SQT4025	40.0 X 40.0 X 2.5
SQT403	40.0 X 40.0 X 3.0
SQT442	44.45 X 44.45 X 2.03
SQT5016	50.0 X 50.0 X 1.6
SQT5025	50.0 X 50.0 X 2.5
SQT503	50.0 X 50.0 X 3.0
SQT6516	65.0 X 65.0 X 1.6
SQT6525	65.0 X 65.0 X 2.5
SQT753	75.0 X 75.0 X 3.0
SQT1003	100.0 X 100.0 X 3.0

SQUARE BOX RADIUS CORNER **RED = STRUCTURAL**



STOCK CODE	DESCRIPTION
	W X W X T
SQTR1918	19.05 X 19.05 X 1.83
SQTR2016	20.0 X 20.0 X 1.6
SQTR203	20.0 X 20.0 X 3.0
SQTR2516	25.0 X 25.0 X 1.6
SQTR252	25.0 X 25.0 X 2.0
SQTR253	25.0 X 25.0 X 3.0
SQTR323	32.0 X 32.0 X 3.0
SQTR402	40.0 X 40.0 X 2.0
SQTR403	40.0 X 40.0 X 3.0
SQTR5016	50.0 X 50.0 X 1.6
SQTR5018	50.0 X 50.0 X 1.8
SQTR502	50.0 X 50.0 X 2.0
SQTR503	50.0 X 50.0 X 3.0
SQTR505	50.0 X 50.0 X 5.0
SQTR653	65.0 X 65.0 X 3.0
SQTR763	76.2 X 76.2 X 3.0
SQTR766	76.2 X 76.2 X 6.35
SQTR1003	100 x 100 x 3
SQTR1006A	100.0 X 100.0 X 6.0


ALLOY:6060 TEMPER: T5

STOCK CODE	DESCRIPTION
	W X H X T
CE1016	10.0 X 10.0 X 1.6
CE1216	12.0 X 12.0 X 1.6
CE1616	16.0 X 16.0 X 1.6
CE163	16.0 X 16.0 X 3.0
CE2016	20.0 X 20.0 X 1.6
CE203	20.0 X 20.0 X 3.0
CE2516	25.0 X 25.0 X 1.6
CE253	25.0 X 25.0 X 3.0
CE403	40.0 X 40.0 X 3.0
CE503	50.0 X 50.0 X 3.0


ALLOY:6060 TEMPER: T5

STOCK CODE	DESCRIPTION
	W X H X T
CU122025	12.0 X 20.0 X 2.5
CU201616	20.0 X 16.0 X 1.6
CU25123	25.0 X 12.0 X 3.0.
CU252025	25.0 X 20.0 X 2.5
CU25403	25.0 X 40.0 X 3.0
CU32253	32.0 X 25.0 X 3.0
CU40202	40.0 X 20.0 X 2.0
CU40203	40.0 X 20.0 X 3.0
CU40253	40.0 X 25.0 X 3.0
CU50253	50.0 X 25.0 X 3.0
CU60323	60.0 X 32.0 X 3.0
CU80253	80.0 X 25.0 X 3.0
CU80403	80.0 X 40.0 X 3.0
CU80404	80.0 X 40.0 X 4.0
CU100253	100.0 X 25.0 X 3.0
CU100403	100.0 X 40.0 X 3.0
CU100503	100.0 X 50.0 X 3.0



STOCK CODE	DESCRIPTION	INSIDE
	W X H X T	RADIUS
CUS76387	76.2 X 38.1 X 7.92	7.62
CUS101507	101.6 X 50.8 X 7.92	9.14
CUS127639	127.0 x 63.5 x 9.52	10.66
CUS152637	152.4 x 63.5 x 7.92	10.67
CUS1777611	177.8 x 76.2 x 11.10	12.2

RED = STRUCTURAL

NOT ALL SIZES IN STORE PLEASE CONTACT US FOR AVAILABILITY



RECTANGLE TUBE

STOCK CODE	DESCRIPTION
	W X H X T

RET38173	38.1 X 17.45 X 3.18
RET40203	40.0 X 20.0 X 3.0
RET402525	40.0 X 25.0 X 2.5
RET502516	50 X 25 X 1.6
RET502525	50.0 X 25.0 X 2.5
RET50253	50.0 X 25.0 X 3.0
RET50403	50.0 x 40.0 x 3.0
RET60403	60.0 X 40.0 X 3.0
RET762516	76.0 X 25.0 X 1.6
RET762524	76.0 X 25.0 X 2.4
RET80253	80.0 X 25.0 X 3.0
RET80403	80.0 X 40.0 X 3.0
RET80503	80.0 X 50.0 X 3.0
RET1002525	100.0 X 25.0 X 2.5
RET1005016	100.0 X 50.0 X 1.6
RET100503	100.0 X 50.0 X 3.0
RET125403	125.0 X 40.0 X 3.0
RET150503	150.0 X 50.0 X 3.0
RET200503	200.0 X 50.0 X 3.0

RECTANGLE TUBE RADIUS CORNER

STOCK CODE	DESCRIPTION
	W X H X T
RETR382516	38.0 X 25.0 X 1.6
RETR38252	38.0 X 25.0 X 2.0
RETR502516	50.0 X 25.0 X 1.6
RETR50253	50.0 X 25.0 X 3.0
RETR651614	65.0 X 16.0 X 1.4
RETR75503	75.0 X 50.0 X 3.0
RETR75504	75.0 X 50.0 X 4.0
RETR76506	76.2 x 50.8 x 6.35
RETR80403	80.0 X 40.0 X 3.0
RETR1001614	100.0 X 16.0 X 1.4
RETR100253	100.0 x 25.0 x 3.0
RETR100503	100.0 X 50.0 X 3.0
RETR100506	100.0 X 50.0 X 6.0
RETR150503	150 x 50 x 3

RED = STRUCTURAL

PLASTIC END CAPS MAY BE AVAILABLE
NOT ALL SIZES IN STORE PLEASE CONTACT US FOR AVAILABILITY



Round Tube

Minimum charges apply

	DESCRIPTION	ALLOY	LENGTH
	D X T	TEMPER	METRE
ROT69	6.35 X 0.91	6060 T5	6
ROT101	10.0 X 1.0	6060 T5	6.5
ROT1012	10.0 X 1.2	6060 T5	6.5
ROT1016	10.0 X 1.6	6060 T5	6.5
ROT1216	12.0 X 1.6	6060 T5	6.5
ROT1415	14.0 X 1.5	6060 T5	4
ROT1512	15.88 X 1.22	6060 T5	6
ROT1616	16.0 X 1.6	6060 T5	6.5
ROT2016	20.0 X 1.6	6060 T5	6.5
ROT202	20.0 X 2.0	6060 T5	6.5
ROT203	20.0 X 3.0	6060 T5	6.5
ROT2516	25.0 X 1.6	6060 T5	6.5
ROT253	25.0 X 3.0	6060 T5	6.5
ROT3216	32.0 X 1.6	6060 T5	6.5
ROT323	32.0 X 3.0	6060 T5	6.5
ROT383	38.1 X 3.25	6060 T5	6.5
ROT4016	40.0 X 1.6	6060 T5	6.5
ROT403	40.0 X 3.0	6060 T5	6.5
ROT4416	44.0 X 1.6	6060 T5	6
ROT443	44.4 X 3.0	6060 T5	6.5
ROT5016	50.0 X 1.6	6060 T5	6.5
ROT502	50.0 X 2.0	6060 T5	6.5
ROT503	50.0 X 3.0	6060 T5	6.5
ROT504	50.0 X 4.0	6060 T5	6.5
ROT505	50.0 X 5.0	6060 T5	6.5
ROT506	50.0 X 6.0	6060 T5	6.5
ROT602	60.0 X 2.0	6060 T5	6.5
ROT603	60.0 X 3.0	6060 T5	6.5
ROT605	60.0 X 5.0	6060 T5	6.5
ROT636	63.5 X 6.35	6060 T5	6.5
ROT763	76.2 X 3.18	6060 T5	6.5
ROT7647	76.2 X 4.75	6060 T5	6.5
ROT766	76.2 x 6.35	6005 T5	6.5
ROT802	80.0 X 2.0	6060 T5	6.5
ROT803	80.0 X 3.0	6060 T5	6.5
ROT1002	100.0 X 2.0	6060 T5	6.5
ROT1003	100.0 X 3.0	6060 T5	6.5
ROT1503	150.0 X 3.0	6060 T5	6.5
ROT2033	203.2 X 3.0	6060 T5	6.5

PLASTIC END CAPS MAY BE AVAILABLE
NOT ALL SIZES IN STORE PLEASE CONTACT US FOR AVAILABILITY

**STRUCTURAL
ROUND TUBE**



Minimum charges apply

RED = STRUCTURAL	DESCRIPTION	ALLOY	LENGTH
	D X T	TEMPER	METRE
ROT4844	48.44 X 4.47	6061 T6	6.1
ROT757	75.0 X 7.0	6061 T6	6.5
ROT766	76.2 X 6.0	6061 T6	6.5
ROT889635	88.9 X 6.35	6061 T6	6.5
ROT10164	101.6 X 6.4	6061 T6	6.5
ROT11463	114.3 X 6.35	6061 T6	6.5
ROT1178	117.0 X 8.0	6005A T5	6.5
ROT12563	125.0 X 6.35	6005A T5	6.5

TELESCOPIC DRAWN TUBE



	DESCRIPTION	ALLOY			LENGTH
	D X T	TEMPER			METRE
ROTD1215	12.7 X 1.42	6060 T6			5.5
ROTD1515	15.58 X 1.42	6060 T6			5.5
ROTD1915	19.05 X 1.42	6060 T6			5.5
ROTD2215	22.22 X 1.42	6060 T6			5.5
ROTD2515	25.4 X 1.42	6060 T6			5.5
ROTD2815	28.58 X 1.42	6060 T6			5.5

SQUARE BAR



	DESCRIPTION	ALLOY	LENGTH
	W X W	TEMPER	METRE
SQ6	6.0 X 6.0	6060 T5	4
SQ10	10.0 X 10.0	6060 T5	4
SQ12	12.0 X 12.0	6060 T5	4
SQ16	16.0 X 16.0	6060 T5	4
SQ20	20.0 X 20.0	6060 T5	4
SQ25	25.0 X 25.0	6060 T5	4
SQ40	40.0 X 40.0	6060 T5	4
SQS40	40.0 X 40.0	6061 T6	4
SQS50	50.0 X 50.0	6061 T6	4
SQS65	65.0 X 65.0	6061 T6	2
SQS76.2	76.2 X 76.2	6061 T6	2
SQS100	100.0 X 100.0	6061 T6	2

RED = STRUCTURAL

PLASTIC END CAPS MAY BE AVAILABLE

NOT ALL SIZES IN STORE PLEASE CONTACT US FOR AVAILABILITY



MACHINE ROD

STOCK CODE	DESCRIPTION	ALLOY	LENGTH
	D	TEMPER	METRE
MS6	6	2011 T8	3.6
MS8	8	2011 T8	3.6
MS9	9	2011 T8	3.6
MS10	10	2011 T3	3.6
MS12	12	2011 T3	3.6
MS12.7	12.76	2011 T3	3.6
MS14	14	2011 T3	3.6
MS16	16	2011 T3	3.6
MS18	18	2011 T3	3.6
MS19.05	19.05	2011 T3	3.6
MS20	20	2011 T3	3.6
MS22	22	2011 T3	3.6
MS24	24	2011 T3	3.6
MS25.4	25.4	2011 T3	3.6
MS27	27	2011 T3	3.6
MS30	30	2011 T3	3.6
MS31.75	31.75	2011 T3	3.6
MS33	33	2011 T3	3.6
MS36	36	2011 T3	3.6
MS38.1	38.1	2011 T3	3.6
MS39	39	2011 T6	3.6
MS42	42	2011 T6	3.6
MS45	45	2011 T6	3.6
MS50	50	2011 T6	3.6
MS55	55	2011 T6	3.6
MS60	60	2011 T6	3.6
MS65	65	2011 T6	3.6
MS70	70	2011 T6	3.6
MS75	75	2011 T6	3.6
MS80	80	2011 T6	1.5
MS90	90	2011 T6	1.5
MS100	100	2011 T6	1.5
MS110	110	2011 T6	1.5
MS120	120	2011 T6	1.5
MS130	130	2011 T6	1.5
MS140	140	2011 T6	1.5
MS150	150	2011 T6	1.5
MS160	160	2011 T6	1.5
MS180	180	2011 T6	Random
MS190.5	190.5	2011 T6	Random
MS210	210	2011 T6	Random
MS230	230	2011 T6	Random

MS250	250	2011 T6	Random
-------	-----	---------	--------

OTHER SIZES AND ALLOYS MAY BE AVAILABLE ON REQUEST, PLEASE CHECK BRANCH FOR AVAILABILITY




ROUND ROD

STOCK CODE	DESCRIPTION	ALLOY	LENGTH	WEIGHT
	D	TEMPER	METRE	KG/M
RSS15.88	15.88	6061 T6	4	0.537
RSS20	20	6061 T6	4	0.86
RSS22.23	22.23	6061 T6	4	1.048
RSS25	25	6061 T6	4	1.33
RSS30.16	30.16	6061 T6	4	1.94
RSS31.75	31.75	6061 T6	4	2.15
RSS33	33	6061 T6	4	2.318
RSS36.5	36.5	6061 T6	4	2.84
RSS39	39	6061 T6	4	3.23
RSS44.45	44.45	6061 T6	4	4.19
RSS45	45	6061 T6	4	4.3
RSS50.8	50.8	6061 T6	4	5.47
RSS54	54	6061 T6	2	TAC
RSS60.33	60.33	6061 T6	4	7.72
RSS63.5	63.5	6061 T6	4	8.55
RSS65	65	6061 T6	4	9.02
RSS76.2	76.2	6061 T6	2	12.31
RSS83	83	6061 T6	2	14.66
RSS88.9	88.9	6061 T6	2	16.76
RSS90	90	6061 T6	2	17.28
RSS101.6	101.6	6061 T6	2	21.89
RSS114.3	114.3	6061 T6	2	27.83
RSS120	120	6061 T6	2	31.89
RSS127	127	6061 T6	2	34.36
RSS130	130	6061 T6	2	35.84
RSS139.7	139.7	6061 T6	1.5	41.39
RSS140	140	6061 T6	1.5	41.57
RSS152.4	152.4	6061 T6	2	49.44
RSS160	160	6061 T6	2	54.31
RSS177.8	177.8	6061 T6	0.1	68.8
RSS190.5	190.5	6061 T6	0.1	77.24
RSS200	200	6061 T6	0.1	86.7
RSS210	210	6061 T6	0.1	95.33
RSS216	216	6061 T6	0.1	101.67
RSS225	225	6061 T6	0.1	107.48
RSS235	235	6061 T6	0.1	118.33
RSS250	250	6061 T6	0.1	138.98
RSS280	280	6061 T6	0.1	166.26
RSS300	300	6061 T6	0.1	190.93
RSS304	304.8	6061 T6	0.1	197.01



ROUND ROD

STOCK CODE	DESCRIPTION	ALLOY	LENGTH
	D	TEMPER	METRE
RS6	6	6060 T5	4
RS10	10	6060 T5	4
RS12	12	6060 T5	4
RS16	16	6060 T5	4
RS20	20	6060 T5	4
RS25	25	6060 T5	4



ACULOK - QUBELOK SYSTEM







The Aculok Qubelok system has numerous applications. From household and office furniture to storage and shelving in the garage, shed, trade vehicles, and you can also build chook pens, avairies, green houses , options endless, only limited by your imagination. This is a light weight system. With connectors and castors available there is no need to weld.

STOCK CODE	DESCRIPTION	ALLOY	LENGTH
	W X W X T	TEMPER	METRE
SQT2512	25.4 x 25.4 x 1.22	6060 T5	6.5
SQTL2512	25.4 x 25.4x 1.22 LIP	6060 T5	6.5










SQT2512	ACULOK TUBE		SQTL2512	ACULOK TUBE WITH LIP	
PLASCAP	END CAP		PLAS40	4 - WAY CORNER CONNECTOR	
PLAS20	2 -WAY FLAT CONNECTOR		PLAS41	4 - WAY FLAT CONNECTOR	
PLAS30	3 -WAY CORNER CONNECTOR		PLAS50	5 - WAY CONNECTOR	
PLAS31	3 - WAY FLAT CONNECTOR		PLAS60	6 WAY CONNECTOR	
PLASSOCKET	SOCKET		PLASCASTOR	CASTOR	









COOLROOM

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6060 T5	6.5	0.33	COARROW
	6060 T5	6.5	0.21	COJOIN5
	6060 T5	6.5	0.5	COB5030
	6060 T5	6.5	0.682	COB7636
	6060 T5	6.5	0.77	COB10036
	6060 T5	6.5	1.25	COB15038
	6060 T5	6.5	0.32	COB5424
	6060 T5	6.5	0.34	AE4016
	6060 T5	6.5	0.44	AU704016
	6060 T5	6.5	0.56	AU904016

COOLROOM










DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6060 T5	6.5	0.96	COB9225
	6060 T5	6.5	1.17	COB11825
	6060 T5	6.5	1.56	COB16825
	6060 T5	6.5	0.87	COCORN50
	6060 T5	6.5	0.233	COCOV35A
	6060 T5	6.5	0.46	COCOV50
	6060 T5	6.5	0.84	COCOV75
	6060 T5	6.5	0.62	COI50
	6060 T5	6.5	0.44	COJAMB50

TRANSPORT

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6060 T5	6.5	0.68	TRDR6
	6060 T5	4.88	0.45	TRSR4
	PER PAIR	ALUMINIUM CAST		TRDCAP
	PER PAIR	ALUMINIUM CAST		TRSCAP
	6060 T5	6.5	1.856	TRBRP
	6060 T5	6.5	1.096	TRAE654P
	6060 T5	6.5	1.76	TRAE1004P
	EACH	ALUMINIUM CAST CORNER CAPPING		
				TRAE100POL
	6063 T594	45mm	2.479	TRROPE32

TRANSPORT TRAY SECTIONS



FINISH: MILL

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6063 T5	3.81	1.441	REARCOAM1
	6063 T5	5.01	1.122	REARCOAM6
	6063 T5	7.4	1.61	SIDECOAM6
	6063 T5	5.07	1.445	SIDECOAM1
	6106 T6	3.81	1.398	TRAY1TON
	6106 T6	5.01	1.946	TRAY6TON
	6106 T6	5.01	1.412	TRAYSTART1
	6106 T6	5.01	1.806	TRAYSTART6
	6063 T5	7.0	2.623	DROPSIDE



GATE HARDWARE/TRACK

ITEM DESCRIPTION






CODE

STEEL WHEEL fit track 19/20mm		EACH WHEEL
BUFFER ROLLER (60 x 40mm)		EACH BR60
BUFFER ROLLER (150 x 40mm)		EACH BR150
BUFFER ROLLER BRACKET	STEEL 	BRB
50mm reciever SLIDING GATE GUIDE STOP Steel/Aluminium		SGGS
SLIDING GATE STOP WITH RUBBER TIP		SGSRUBBER
DOUBLE HINGED GATE STOP		SWS
Nylon Gate Block		NGB
20mm Hollow Heavy Gate Track 6 METRE		SHGT





GATE SECTIONS

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6063 T5	6.0	1.269	SHGT
	6060 T5	300mm	N/A	GATECHANNEL




FENCING SECTIONS

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE
	6060 T5	6.5	1.243	SQTR5018-90
	6060 T5	6.0	1.243	SQTR5018-180
	6060 T5	6.5	1.066	SQTR5018-1WAY
	6060 T5	6.5	0.78	RETR1001614
	6060 T5	6.5	0.576	RETR651614



MISCELLANEOUS

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE	PRODUCT FINISH
Double Throat Rope Track 	6060 T5	6.5	0.28	MSROPEDT	MILL
Single Rope Track 	6060 T5	6.5	0.23	MSROPE	MILL
				MSROPEW	PEARL WHITE
				MSROPECLR	CLEAR ANODISED
				MSROPEBL	SATIN BLACK
Single Off Set Rope Track 	6060 T5	6.5	0.176	MSROPES	MILL
Double Rope Track 	6060 T5	6.5	0.3	MDROPE	MILL
				MDROPEW	PEARL WHITE
				MDROPEBL	SATIN BLACK
Sail Track 	6060 T5	4	0.48	MSAIL	MILL
J Mould 	6060 T1	4	0.16	MJMOULD	MILL
Crescent Mould  A 19.05mm 25.40mm 31.75mm 38.10mm	6060 T5	4	0.117	MCRES19.05	MILL
			0.153	MCRES25.4	
			0.286	MCRES31.75	
			0.35	MCRES38.1	
Coping Mould 	6060 T5	4	0.3	MCOP	MILL
Stair Tread 40mm 	6060 T5	4	0.45	MSTREAD	MILL



MISCELLANEOUS

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE	PRODUCT FINISH
Fluted Flat 38mm 	6060 T1	4	0.31	MFLTREAD	MILL
Fluted Flat 60mm 	6060 T1	4	0.62	MFLTREAD80	MILL
Table Edge 29.4mm 	6060 T1	4	0.13	MTE2963	MILL
Ticket Strip 31.75mm 	6060 T1	4	0.18	MTICK	MILL
Windscreen Mould 	6060 T1	5	0.36	MWSCREENCAP	MILL
Caravan Trim 	6061 T1	5	0.216	MCARTRIM	MILL
				MCARTRIMPW	PEARL WHITE
				MCARTRIMBL	SATIN BLACK
Caravan Flat Trim 	6061 T5	4.8	0.161	MFCARTRIM	MILL
				MFCARTRIMPW	PEARL WHITE
				MFCARTRIMBL	SATIN BLACK





SIGN BOX

DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE	PRODUCT FINISH
Sign Box 150mm 	6060 T5	6.5	1.197	SBOX150	MILL
Sign Box 200mm 	6060 T5	6.5	1.96	SB200A	MILL

GUDGEON & TRUNION

ITEM DESCRIPTION		
GUDGEON PLATE 4 HOLE		
GUDGEON PLATE 2HOLE		
TRUNION 16mm Thread, 150mm Long		
TRUNION 16mm Thread, 120mm Long		



MISCELLANEOUS



DIAGRAM	ALLOY TEMPER	LENGTH METRE	MASS KG/M	PRODUCT CODE	PRODUCT FINISH
	6060 T5	2.41	0.175	MSLATALP	MILL
	6060 T5	4	0.09	MCWALLCAP	CLEAR ANODISED
	6063 T5	4	0.793	MSBAT	MILL
	6106 T6	6.05	3.077	STAIRTREAD50	MILL
FABRICATED END CAP TO SUIT				STAIRCAP50	MILL
	6060 T5	4.88	0.23	ZED22	MILL
	6060 T5	6.5	0.878	TOPHAT22	MILL
	6060 T5	6.5	0.912	TOPHAT25	MILL


EASY LOUVRE (50 x 1.6 Box Radius Cnr)

To accept 65 x 16 Rectangular Slats

All Set length no variances

ITEM	LENGTH		ORDER CODE
50 x 1.6 box rc Angled 10mm overlap	2160 mm		50RAS Per Pair left & right
50 x 1.6 box rc Angled STRAIGHT THROUGH	2160 mm		50RAT Each
50 x 1.6 box rc Straight 20mm gap	2160 mm		50RSS Each
50 x 1.6 box rc Straight 20mm gap CORNER	2160 mm		50RSc Each
50 x 1.6 box rc Straight 20mm gap STRAIGHT THROUGH	2160 mm		50RSSd Each
50 x 1.6 box rc Straight 8mm gap	2160 mm		50R8S Each
50 x 1.6 box rc Straight 8mm gap CORNER	2160 mm		50R8Sc Each
50 x 1.6 box rc Straight 8mm gap STRAIGHT THROUGH	2160 mm		50R8Sd Each
THIS IS STANDARD SIZE AND ANGLES NO VARIATIONS			

ITEM		CODE
MAGNA LATCH SIDE PULL with KEY LOCK MLSPS2L		MLSKL
LOCK LATCH INNER LLAA		LOKK-I
LOCK LATCH OUTER LLB		LOKK-O
LOKKLATCH DELUXE STANDARD LLDABS2-L LLDAB-KSA	 Locks and unlocks from both sides, can be keyed up to existing locks with (C4) type keyway.	KEYED ALIKE EACH LOKK-P
LOKKLATCH SELF LOCKING LLPIS-L	 Permanently Locked on both sides, NEED KEY TO ACCESS can be keyed up to existing locks with (C4) type keyway.	No more welding up of Lock Boxes, Stainless Steel Components LOKK-SL
HINGE P Multi Fit Plain No spring KFP		HINGE P Pair
HINGE S Multi Fit Fixed Tension KFS		HINGE S & HINGE P have angled tops designed into the hinge HINGE S Pair
HINGE A KF3ABL		HINGE A PAIR
TRU CLOSE HINGE Standard size Adjustable Spring Tension TCA1 MK3		TCH (Pair)
TRU CLOSE HINGE Standard size (with Legs) Adjustable Spring Tension TCA1L2S3BT		TCHL (Pair)

ITEM		CODE
Complete Magna Kit with Tru Close Hinges  		MLTTCHKIT
	ADJUSTABLE TENSION TCA1-SERIES3 TCH	
Toggle Latch	Toggle Latch has Stainless Steel Locking Bar and is Fully Adjustable. 	TL01
MAGNA LATCH SIDE PULL MLSPS2	 	MLS
LARGE TRU CLOSE HINGE Adjustable Spring Tension TCHD1AS3BT		(pair) LTCH
LARGE TRU CLOSE HINGE (with Legs) Adjustable Spring TCHD1AL2S3BT		(pair) LTCHL
LARGE TRU CLOSE HINGE (2 Large Wings) Adjustable Spring Tension TCHD1 MK2 GATE STOP (standard) TCGS3	  	(pair) TCHD1 SGS
GATE STOP (large) TCGS2		LGS
GATE HANDLE		LLHBG
LLHBG		

BULK BUY please contact us

CAPS

ITEM DESCRIPTION

ALL CAPS BLACK

CODE

UNLESS STATED OTHERWISE

Plastic Cap fit 100 x 100 Box		SP100CAP
Plastic Cap fit 75 x 75 Box		SP75CAP
Plastic Cap fit 65 x 65 Box		SP65CAP
Plastic Cap fit 50 x 50 Box		SP50CAP
Plastic Cap fit 40 x 40 Box		SP40CAP
Plastic Cap fit 32 x 32 Box		SP32CAP
Plastic Cap fit 25 x 25 Box		SP25CAP
Plastic Cap fit 19 x 19 Box		SP19CAP
Plastic Cap fit 12.7 x 12.7 Box		SP12CAP
Plastic Cap fit 150 x 50 Rect		RP15050CAP
Plastic Cap fit 100 x 50 Rect		RP10050CAP
Plastic Cap fit 100 x 25 Rect		RP1025CAP
Plastic Cap fit 80 x 50 Rect		RP8050Cap
Plastic Cap fit 80 x 40 Rect		RP8040Cap
Plastic Cap fit 75 x 50 Rect		RP7550CAP
Plastic Cap fit 75 x 25 Rect		RP7525CAP
Plastic Cap fit 60 x 40 Rect		RP6040CAP
Plastic Cap fit 65 x 16 Rect		RP6516CAP
Plastic Cap fit 50 x 25 Rect		RP5025CAP
Plastic Cap fit 38 x 25 Rect		RP3825CAP
Plastic Cap fit 60 mm Tube		TP60CAP
Plastic Cap fit 50 mm Tube		TP50CAP
Plastic Cap fit 40 mm Tube		TP40CAP
Plastic Cap fit 32 mm Tube		TP32CAP
Plastic Cap fit 25 mm Tube		TP25CAP
Plastic Cap fit 20 mm Tube		TP20CAP
Plastic Cap fit (16mm) 15.88 x 1.22 Tube		TP16CAP Min 10 Buy
Plastic 25 mm wall plug/cap		25wp Min 10 Buy
Plastic 19 mm wall plug/cap		19wp Min 10 Buy